

Dmix International

Dmix international FRIGO TRUCK

MOUNTED ON IVECO TRAKKER AD380T38H 6x6 OR SIMILAR TRUCK

	Loneth (out) man	145 data (
Isothermal box dimensions	Length (ext) mm	Width (ext) mm	height (Int) mm	
	5880	2590	2200	
Vehicle	IVECO TRAKKER 6X6	IVECO TRAKKER 6X6 AD380T38W H		
Profiles	Aluminium, painted	Aluminium, painted in RAL-9016		
Roof		Made of sandwich panel of 120mm With 3 lights recessed		
	2 LED white lights of 1 ladder mounted i the cooling machine	Made of sandwich panel of 90mm 2 LED white lights of position (mounted in the corner) 1 ladder mounted in the left corner of the body to access to the cooling machine unit		
Frontwall	1 kickplate of alumir	Reinforcement and hole for cooling machine 1 kickplate of aluminium of 270mm (inferior part) Made of sandwich panel of 90mm		
Sidewalls	2 levels of combirail	2 levels of combirail (at 800mm and 1400mm from the floor) 1 kickplate of aluminium of 270mm (inferior part)		
Rear Side	External locks (1 in e Locks and hinges pa Rear frame of galvar 2 LED red lights of p 4 Rubber pads on th 1 Fixed transparent	Rear doors made of sandwich panel of 90mm External locks (1 in each door) and hinges (3 in each door) Locks and hinges painted in RAL-9016 Rear frame of galvanized steel of 2,5mm painted in RAL-9016 2 LED red lights of position (mounted in the rear frame) 4 Rubber pads on the rear frame 1 Fixed transparent plastic strip curtain 1 Retractable ladder in the rear part (mounted) 2 "T" doorholders		
Platform-Floor	Internally reinforced Polyurethane as int surface. Finish surface of thickness of platform 2 drains in the front 2 Longitudinal beam	Platform adapted for vehicle 6x6 Internally reinforced with angles laminated hot Polyurethane as internal isolation and wood under the finish surface. Finish surface of antisliding polyester barley corn (total thickness of platform 120mm) 2 drains in the front part for water evacuation 2 Longitudinal beams adapted for the vehicle Steel mudguards painted in RAL-9016		
Cooler	Carrier SUPRA 750 Engine Kubota D722 Electric motor Carrie Standby compressor Road compressor Ca			



Dmix International



Dmix International A.T.I.A.

Viale Enzo Paolo Tiberi n° 8, 06124 PERUGIA (PG) C.F/P.IVA 03610350542 REA PG301726



Dmix International





This image are only for information, The manufacturer reserves the right to modify drawings and dimensions without prior notice, but keeping unchanged the technical specifications required by customer

Dmix International A.T.I.A.