



Dmix International

Dmix International KIT
Heavy Duty Recovery truck DST-10 ton
to be mounted on 4x2 Rigid High chassis



Dmix International S.p.A.

Viale Enzo Paolo Tiberi n° 8, 06124 PERUGIA (PG)

C.F./P.IVA 03610350542 REA PG301726



TECHNICAL SPECIFICATIONS

Equipment consisting of HOT GALVANIZED STEEL loading platform, 10 ton capacity whose length is approx 7000 mm and whose width is approx 2550 mm which can be hydraulically reclined (through 2 hydraulic cylinders), and which slides hydraulically (through 1 central hydraulic cylinder) along zinc coated steel slides with self-lubricating shoes, zinc coated steel subchassis, oil-pressure system equipped with tank for hydraulic oil with filter, control distributor with levers placed in the back side on the right, emergency button with safety valve, stop valve placed on the cylinders and rubber pipes equipped with chain. The equipment is equipped with 2 rubber wings with mud flaps (in case of rain) and with 4 rolls (so that the platform can slide on the ground) placed in the back side;

Current equipment included in the base price:

Spoiler platform

Platform painted like the cab

Sub & tippframe galvanized

Hydraulic control valve right hand side

New side protection with fitting

Bolted cabin guard new model with box on the top

Wheelstopper double adjusting

Platform winch 6 ton VIME EPH6000 with long drum

FIX WINCH IN CENTER

Compartment for hydraulic valve in INOX

N° 02 led working lights on frontwall

Led Light in the lever box

Platform with standard side panels, side rails, standard counter, HOT GALVANIZED STEEL

Platform:

Platform front lock inside the chassis WITHOUT SENSOR


N° 10 inox bolted hook, single hook

Rear fork and Arm crane:

N° 01 KIT REAR HYDRAULIC FORK 4 ton DOUBLE EXTENSION – 2100mm

OPTIONAL

REMOTE CONTROL IMET 6 COMMAND (3 FUNCTION) – MOUNTED



Dmix International



Dmix International S.p.A.

Viale Enzo Paolo Tiberi n° 8, 06124 PERUGIA (PG)

C.F./P.IVA 03610350542 REA PG301726