



***Dmix International*** S.R.L.S.

## MOBILE CLINIC SEMITRAILER



The drawings and pictures are only for illustration and can show some optional or accessories not included in this offer

***Dmix International*** S.R.L.S.

**HEADQUARTER:** Viale Enzo Paolo Tiberi n° 8, 06124 PERUGIA (PG) **WORKSHOP:** Via Grecia N° 16, Trestina 06012 CITTA' DI CASTELLO (PG)

**C.F./P.IVA:** 03610350542 **REA:** PG301726 **E-mail:** [international@dmixsrl.com](mailto:international@dmixsrl.com), [dmixinternationalsrls@gmail.com](mailto:dmixinternationalsrls@gmail.com)

**Codice Fatt.Elett.:** USAL8PV **PEC:** [dmixinternational@pec.it](mailto:dmixinternational@pec.it) **WEB:** [www.dmixinternational.com](http://www.dmixinternational.com)



## Mobile clinic

### **Main Body structure:**

#### **TRAILER**

- Length: 11000 mm
- Width: 2500 mm
- High: 2500 mm (external dimensions)

#### **BODY SUPERSTRUCTURE**

- The clinic superstructure will be installed on a semitrailer.
- The clinic body superstructure is manufactured and constructed by a steel structure, with an intermediate proper insulated on material with inner and outer surface made of One-piece white GRP material, manufactured properly to ensure the stability, safety and comfort-ability of the people with stored equipment.
- Floor to be a high quality, heavy duty PVC flooring material based on marine plywood.

#### **ACCESS FOR THE UNIT**

- Two access doors, located on the right side, one entrance door and one exit door to enable better access.
- The doors are equipped with folding stairs, in anti slip steel with protection hand rails.

#### **THE UNIT WILL BE SEPARATED INTO FIVE COMPARTMENTS.**

##### ***Reception Compartment***

- Bench seat for 4 persons.
- N° 1 Working desk
- N° 1 Laptop
- N° 1 30" display screen LCD
- Storage cabinet
- Shelves for archiving patient records.

##### ***Public Health Lab Area-Laboratory Compartment***

- Low drawer
- Overhead cabinet
- N° 1 Sink
- N° 1 Chair
- N° 1 Mini refrigerator under desk
- N° 1 microscope
- N° 1 Waste basket

##### ***Doctor office***

- N° 1 Doctor desk
- N° 1 Doctor chair
- N° 1 Cabinet
- N° 1 sink
- Low drawer (lockable)
- Overhead cabinet (lockable)

##### ***Exam area Compartment***

- N° 1 Exam stretcher
- N° 1 Stool
- N° 1 Wall mounted examination lamp
- N° 1 Eight/Weight scale



- N° 1 Diagnostic set
- N° 1 Ultrasound device

### **Crew Rest Compartment**

- Kitchen: Equipped water cooler
- Sink
- Toilet

### **ELECTRICAL ATTACHMENTS**

- Control Panel for lighting, exhaust fans and other electrical equipments from action area
- Light system composed by 4 interior ceiling mounted white lights at each room
- Emergency DC lights located on strategic points and main doors
- Outdoor lighting projector, 4 unit mounted on a swivel base fixed on the rear roof and left and right sides of vehicle
- Intercom between reception compartment and doctor office.
- N° 2 power sockets 220 V on each room
- External socket for external power supply
- N° 1 Diesel engine silenced Generating set min. 6 kw, for supply power to Air conditioner and other electrical devices.
- N° 3 Air conditioner split on each following room: (Reception Compartment, Public Health Lab Area-Laboratory Compartment, Exam area Compartment)
- Roof exhausting fan, quite forced air intake and extractor at each compartment.

### **GENERAL REQUIREMENTS**

- Catalogues for the vehicle and body (maintenance, operation, spare parts) will be supply with the truck and body
- First aid kit
- Standard tool set
- ABC fire extinguisher 2 kg, with suitable bracket
- Caution and attention signs fitted in both drivers and rear compartments containing instruction for the operator and end users.



**Aneroid Sphygmomanometer (q.ty 2)**



Product detail	
Name of manufacturer	BOSO
Model	Nova S
Country of origin	Germany
Country where manufacturer is based	Germany
Delivery time	Immediatly
Warranty period	1 Year
FDA clearance or CE mark	This blood pressure instrument complies with the European regulations that are the basis for the German Medicinal Products Act (CE marking) and the international standard ISO 81060-1. All Calibration testing – at least every two years –, has to be carried out either by the manufacturers or the local authorised dealer in accordance with the relevant distributor directives. Brochure and user manual attached



**Diagnostic set wall mounted (q.ty 1)**



Product detail	
Name of manufacturer	Welch Allyn
Model	Connex Integrated Wall System
Country of origin	USA
Country where manufacturer is based	USA
Delivery time	Immediatly
Warranty period	1 Year
FDA clearance or CE mark	Declaration of conformity and brochure attached



## Examination couch (q.ty 1)



Product detail	
Name of manufacturer	Williams medical
Model	Sunflower Practitioner Deluxe Examination Couch
Country of origin	UK
Country where manufacturer is based	UK
Delivery time	20 Days
Warranty period	1 Year
FDA clearance or CE mark	Declaration of conformity attached

### **Practitioner Deluxe Examination Couch**

The Practitioner Deluxe Couch from medical furniture specialists Sunflower is a high performance durable couch suitable for any surgery. The multi-position backrest locks easily into position and the two layer foam offers exceptional patient comfort.

A range of options including pull out work surface, drawer units (1-3), mobile storage unit, leg supports, step, head pillow and breathing hole can be fitted if ordered with the couch and installation is purchased.

### **Features:**

- Multi-position self locking backrest
- Choice of integrated storage solutions
- Choice of accessory unit finish - white, cool blue, white, maple or titanium
- Two layer/density foam for support and comfort with 65mm deep contoured upholstery
- Anit-bacterial/anti-microbial vinyl
- Durable silver epoxy coated frame
- Stylish 6cm diameter legs provide additional stability with 4 adjustable feet for uneven floors
- Paper roll holder included
- Installation includes pre-booked delivery date, product assembly and removal of all packaging
- 3 year warranty

### **Specifications:**

- Dimensions: 790 x 1930 x 600mm (H x L x W)
- Head section tilt range: 0 to +60°
- Maximum user weight: 165kg (26st)



Examination lamp (q.ty 1)



Product detail	
Name of manufacturer	Rimsa
Model	PrimaLED Ceiling
Country of origin	Italy
Country where manufacturer is based	Italy
Delivery time	30 Days
Warranty period	1 Year
FDA clearance or CE mark	See the attached brochure

With its appealing design, PRIMALED is a concentration of unparalleled-performance technology, the best for an observation lamp. It consists of 9 Led lenses split up into two separate circuits. The lamp lens has been designed to provide focused and deep light. PRIMALED is suitable for any type of installation, from doctor's surgery to the intensive-care unit

Light intensity at 0,5m distance: 86.000 lux  
Color temperature: double selection 4.500-5.000K  
d10 light field diameter @50cm: 140mm



## Infant Electronic Balance (q.ty 1)



Product detail	
Name of manufacturer	Detecto
Model	8435
Country of origin	USA
Country where manufacturer is based	USA
Delivery time	30 Days
Warranty period	1 Year
FDA clearance or CE mark	CE Mark

Easy-to-clean polystyrene trays cradle babies securely on these dependable, portable scales. The Detecto 8435 digital pediatric scale features pounds or kilograms and a high contrast LCD display with auto zero, auto shutoff, and push button tare. A light, attractive scale, the portability is increased by the use of battery power with 6 "C" size alkaline batteries.

### Features:

- Capacity: 130 lb x 0.1 lb / 59 kg x .05 kg
- Tray: 22" H x 14.75" W x 4.5" D ( 559mm H x 375mm W x 114mm D), washable polystyrene
- Dimensions: 20.25" H x 22" W x 22" D ( 514mm H x 559mm W x 559mm D)
- Easy-to-clean polystyrene trays
- 
- Easy-to-read 0.7 inch high contrast LCD display Heavy steel base and precision lever system
- Heavy-duty, rust-resistant understructure
- Display: 0.7 inch (18mm) high-contrast LCD
- Power: 6 "AA" size alkaline batteries or optional AC adapter

### Power x 3 with the new 750 Weight Display

The new Detecto 750 weighing indicator is the perfect weight display for all applications. The recharging circuitry is "Built-In" to the 750 display. Utilizing the AC-adapter and installing Ni-Cad "AA" batteries, you can have a truly free standing scale in any office environment.

Operate up to 250 hours on new alkaline batteries.







Operate up to 100 hours on NiCad batteries before recharging. (Recharging time is approximately 8 hours and the scale can be operated during this time.)

## Doctor Stool (q.ty 1)



Product detail	
Name of manufacturer	Boss
Model	B240-BK
Country of origin	USA
Country where manufacturer is based	USA
Delivery time	30 Days
Warranty period	1 Year
FDA clearance or CE mark	CE Mark

### Specifications

Color:	Black
Count:	1
Model:	B240-BK
Finish:	Chrome
Brand:	BOSS
Frame Material:	Vinyl , Metal
Recommended Room:	Office , Home Office
Seat Back Height:	Low
Shape:	Natural
Age Group:	Adult
Fabric Content:	Fabric
Number of Drawers:	0
Recommended Location:	Indoor
Is Assembly Required:	Y
Condition:	New
Seating Capacity:	1
Material:	Vinyl
Manufacturer Part Number:	B240-BK
Seat Height:	6 inches



Features:

No Arms , Swivels , Adjustable Height with gas cspring

Assembled Product Dimensions (L x W x H):

24.00 x 24.00 x 26.50 Inches

## Dressing kit (q.ty 2)

### Dressing Kit (SIK-5016) Medical-Tools.com/shop



### Product detail

Name of manufacturer	Medical Tools
Model	SIK 5016
Country of origin	USA
Country where manufacturer is based	USA
Delivery time	30 Days
Warranty period	1 Year
FDA clearence or CE mark	Guaranteed High Quality Production



	Warranty against faulty material/workmanship Certified Conformity 30 Days Return/Exchange
--	---

Dressing Kit are frequently used in first aid and nursing, Dressing is in direct contact with the wound. Our dressing kit contain all necessary tools to perform dressing and bandage. All tools are made from high grade surgical stainless steel used by professionals.

**Kit Contains**

- Mayo Scissors 14cm Straight TC
- Dissecting Scissors 14cm Sharp/Blunt
- Lister Bandage Scissors 15cm
- Spencer Stitch Scissors 11cm
- Foerster Sponge Forceps 25.5cm
- Dressing Forceps 16cm 02 Pcs
- Dressing Forceps 1:2 16cm 02 Pcs
- Kelly Forceps 14cm Straight
- Adson Forceps 12cm
- Lotion Bowl 04 Oz
- Kidney Dish 08"

**Technical Specifications**

**Material:** Stainless Steel

**Rusting Prevention Procedure:** Passivated

**Ultrasonic Cleaned:** Yes

**Dull-Polished:** Yes

**Tests Performed:** Boil Test, Performance Test, Shape Test

**Packing:** Individually Packed

**QC Passed:** Yes



Stethoscope (q.ty 2)



Product detail	
Name of manufacturer	Boso
Model	Bososcope cardio for adult and for children, 2 pieces (mod. Boli and mod. Boki)
Country of origin	Germany
Country where manufacturer is based	Germany
Delivery time	30 Days
Warranty period	1 Year
FDA clearance or CE mark	CE Mark, See the attached brochure and Manual



**Digital Thermometre (q.ty 2)**



Product detail	
Name of manufacturer	Boso
Model	bosotherm medical
Country of origin	Germany
Country where manufacturer is based	Germany
Delivery time	30 Days
Warranty period	2 Year
FDA clearance or CE mark	CE Mark, See the attached brochure and Manual

The innovative infrared technology allows precise measurement in only 1 second. With illuminated display, fever alarm, ergonomically shaped for simple and easy use, acoustic signal indicating beginning and ending of the measurement, last measurement reading shown on the display automatically, including disposable hygienic probe covers, 2 year guarantee.



Laryngoscope (q.ty 1)



Product detail	
Name of manufacturer	Welch Allyn
Model	68696-LED F/O LARYNGOSCOPE SET-MILLER LED
Country of origin	USA
Country where manufacturer is based	USA
Delivery time	30 Days
Warranty period	1 Year
FDA clearance or CE mark	CE Mark, See the attached brochure and Manual

**Fiber Optic Laryngoscope Systems**

With LED replacement lamps. Designed for ease-of-use to improve patient care, safety and staff satisfaction. Innovative Design: Reduced weight for improved balance and maneuverability facilitates even the most difficult intubations to help improve patient care and staff satisfaction. Standardize: Blades easily convert from lamp to fiber-optic illumination making upgrades economical. Durable: One-piece stainless steel construction ensures blade integrity and minimizes corrosion helping improve staff satisfaction and reducing risk. Repairable: Replace deteriorating light pathways for a fraction of the cost of a replacement blade.

Gross Weight: 1.65 KG

Width: 27.8 CM

Height: 20.8 CM

Depth: 17.5 CM



Resuscitation bag (Q.ty: 2 for adult, 2 for child, 2 for infant)



Product detail	
Name of manufacturer	Blue cross
Model	T1010230 (adult) T1010340 (children) T1010420 (infant)
Country of origin	Japan
Country where manufacturer is based	Japan
Delivery time	60 Days
Warranty period	1 Year
FDA clearance or CE mark	See the attached brochure and Manual



Handheld vaccine carrier (q.ty 5)



Product detail	
Name of manufacturer	Labcold
Model	RPDF0012D
Country of origin	UK
Country where manufacturer is based	UK
Delivery time	30 Days
Warranty period	1 Year
FDA clearance or CE mark	CE mark, See the attached brochure





Under counter refrigeretor (q.ty 5)



Product detail	
Name of manufacturer	Waeco
Model	Coolmatic CRX110
Country of origin	Italy
Country where manufacturer is based	Italy
Delivery time	30 Days
Warranty period	1 Year
FDA clearance or CE mark	CE mark, See the attached brochure



**Bench Top Autoclave (q.ty 1)**



Product detail	
Name of manufacturer	REM by Yeson
Model	AUTOCLAVE DENE B 22 CLASS B, 22 LT with printer and USB door
Country of origin	Italy
Country where manufacturer is based	China
Delivery time	30 Days
Warranty period	1 Year
FDA clearance or CE mark	CE mark, See the attached brochure



**Adult Electronic Balance with measuring rod (q.ty 1)**



Product detail	
Name of manufacturer	Adam Equipment
Model	MDW 300 L
Country of origin	UK
Country where manufacturer is based	UK
Delivery time	30 Days
Warranty period	1 Year
FDA clearance or CE mark	CE mark, See the attached brochure



MID range Mobile general purpose ultrasound unit dedicated in Gynaecology (q.ty 1)



Product detail	
Name of manufacturer	<b>GE Healthcare, a division of General Electric Company</b>
Model	Logiq 9
Country of origin	USA
Country where manufacturer is based	USA
Delivery time	60 Days
Warranty period	1 Year
FDA clearance or CE mark	CE mark, See the attached brochure



Fetal heart detector (q.ty 1)



Product detail	
Name of manufacturer	Edan Usa
Model	Sonotrax pro
Country of origin	USA
Country where manufacturer is based	USA/China
Delivery time	60 Days
Warranty period	1 Year
FDA clearance or CE mark	CE mark, See the attached brochure



## Ordinary light microscope (q.ty 1)



### Product detail

Name of manufacturer	BRESSER
Model	SCIENCE ADL 601 P 40-600X MICROSCOPE
Country of origin	Germany
Country where manufacturer is based	Germany
Delivery time	Immediate
Warranty period	2 Year
FDA clearance or CE mark	CE mark, See the attached brochure

#### Features

- Type: Biological microscope
- View: Binocular
- Application range: Biology, Gemology, Mineralogy, Botany
- Illumination: Halogen
- Level: Intermediate, Expert
- Warranty: 2 years
- 1.25 Abbe-condenser with iris diaphragm and filter holder
- Incl. adjustable mechanical stage
- Integr. dimmer
- Adjustable eye relief
- Diopter adjustment

#### Specifications

Comfortable binocular view, 30° inclined  
Transmitted 6V/20W, adjustable  
Magnifications: 40x-600x  
Eyepieces: 2x WF10x  
Eyepiece diameter: 23.2 mm  
Objectives: PL-5x, PLL-10x, PLL-40x, PLL-60x  
Power supply: 220/240V  
4 DIN-objectives  
2x 10x eyepieces  
1.25 Abbe-condenser with iris diaphragm and filter holder  
Polariser-/Analyser-Attachment  
Additional Halogen-Incident-Illumination for Polarisation



Haematology analyzer 3-part. Diff, (q.ty 2)



Product detail	
Name of manufacturer	Sismex
Model	XP300
Country of origin	USA
Country where manufacturer is based	USA
Delivery time	60 Days
Warranty period	1 Year
FDA clearance or CE mark	CE mark, See the attached brochure